



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/717,815	11/20/2003	Terry A. Wheelwright	14307	9716
7590	08/10/2006			
			EXAMINER	
			WEBB, TIFFANY LOUISE	
			ART UNIT	PAPER NUMBER
			3616	

DATE MAILED: 08/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	10/717,815	WHEELWRIGHT ET AL.
	Examiner Tiffany L. Webb	Art Unit 3616

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).

Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 22 May 2006.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-13 and 15-26 is/are pending in the application.
 - 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) 11,13,15-18 and 20-26 is/are allowed.
- 6) Claim(s) 1,2 and 4-10 is/are rejected.
- 7) Claim(s) 3,12 and 19 is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 20 November 2003 is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) <input type="checkbox"/> Notice of References Cited (PTO-892)	4) <input type="checkbox"/> Interview Summary (PTO-413)
2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date. _____ .
3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date _____ .	5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
	6) <input type="checkbox"/> Other: _____ .

DETAILED ACTION

Claim Objections

1. Claims 4, 5, 12, and 19 objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim.

Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. Claims 4 and 12 claims the throat is sealable to prevent passage of inflation fluid, which is already claimed in the preceding claims, 1 and 11, respectively. Claims 5 and 19 claim the throat is wrappable around the inflator housing to seal the throat. In the currently amended claims 1 and 17, from which 5 and 19, respectively, depend, already state having the throat being sealed by wrapping the throat around the inflator housing.

Claim Rejections - 35 USC § 103

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

3. Claims 1-2 and 4-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shellabarger (US 5,632,506) in view of Bunker et al. (US 5,667,241). Regarding claims 1, Shellabarger discloses having an airbag assembly (12) including: an inflatable cushion (60), a throat (62) in the cushion for receiving an inflator into the cushion, and an opening in the cushion for receiving an inflator squib (63), the opening having a corresponding size to the inflator squib (see Figure 8) and the throat is wrappable around the inflator housing to seal the throat closed (col. 5, lines 57-62), but fails to disclose having a squib. Regarding claim 2, Shellabarger discloses a cushion being

constructed of fabric (col. 3 lines 55-57). Regarding claim 4, Shellabarger discloses the throat is sealable to prevent the passage of inflation fluid through the throat (col. 5, lines 55-62). Regarding claims 9 and 10, Shellabarger discloses using this type of air bag assembly as a knee air bag or as a side air bag (col. 1, lines 20-28). Bunker et al. discloses having a squib (96) and further regarding claim 6, Bunker et al. discloses an inflator (12) having a squib (96), wherein an electrical connection to the inflator is on the inflator squib (col. 7, lines 10-12). Regarding claim 7, the squib (96) projects out of the opening to outside the cushion and the inflator housing is contained in the cushion (see Figure 7). Regarding claims 8, Bunker et al. discloses having the squib having a diameter smaller than a diameter of a portion of the inflator housing (see Figure 7). It would have been obvious to one having ordinary skill in the art at the time of the invention to have put the inflator squib with electrical connections of Bunker et al. on the inflator of Shellabarger in order to provide a better ignition of the inflator.

Response to Arguments

4. Applicant's arguments with respect to claims 1-2 and 4-10 have been considered but are moot in view of the new ground(s) of rejection.

Allowable Subject Matter

5. Claim 3 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

6. Claim 11, 13, 15-18, and 20-26 are allowed.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tiffany L. Webb whose telephone number is 571-272-2797. The examiner can normally be reached on 8-4:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Dickson can be reached on 571-272-6669. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Tiffany L. Webb
Examiner
Art Unit 3616

tlw



8/7/06

PAUL N. DICKSON
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3600